



We have taken road safety to the next level!

Features

- Signage boards; designed according to 034-SCT2 standard to guarantee visibility and compliance of traffic regulations.
- Integrates latest generation LEDs, maximizing visibility with many combinations.
- Set in one or two Postiflex® posts, guaranteeing resistance to adverse climate conditions; including straps in black polyethylene and screws for a safe fastening.
- Optimal size for signs to be easy to identify at distance.
- Board can turn to 45° to make a warning sign.
- In addition, it has 4 extra LEDs in every end to increase visibility.
- Types of signs: *Warning*: it warns about the possible risks. *Restrictive*: indicate prohibitions or traffic limitations. *Temporary traffic control*: inform about the works in the road. *Recreation*: sign places of interest. *Service*: indicate the available services in the zone. *Safety*: for emergency situations.
- IP68 waterproof electronic system.

Technical Features

- Manufactured from durable black polymer (single-sided) with Postiflex® post in yellow or gray.
- Designed to withstand weather and temperature extremes, with UV protection for long-term outdoor use.
- Moisture-proof and recyclable, ensuring longevity without corrosion.
- Anti-theft and anti-vandal: plastic material with no resale or secondary use value.
- Stackable for efficient transport and storage.
- Simple installation, with Postiflex® internally reinforced with tubular or steel PTR sections. RHS.


Solar-powered Systems

- Features a top-mounted solar panel for self-sufficient power.
- High-intensity LEDs with conical optics and reflective mirrors ensure uniform illumination across the sign.
- Includes 1.2 V rechargeable batteries.
- JVM electronic control synchronizes flashing across multiple units for consistent operation.
- Fully charges in 6 hours of sunlight, providing up to 24 hours of intermittent flashing..




Dimensions and other measurements are nominal and may vary by $\pm 2\%$

Dimensions are in inches



Dimensions

Overall dimensions:	Length: 33.0 in Width: 2.7 in Height: 33.0 in
Panel:	Length: 33.8 in Height: 33.8 in
Diamond-shaped panel:	Length: 46.8 in Height: 46.8 in
Reflective element:	Depends on the design
Postiflex dimensions:	Width: 1.9 x 1.9 in Length: 13.1 in Thickness: 0.19 Width: 1.9 x 1.9 in Length: 9.8 ft Thickness: 0.11 in



Design options



SIGN PANEL

Regulatory: White reflective background, Type "A" or "B" as specified; matte black vinyl text and border, with red ring.

Warning: Yellow reflective background, Type "A" or "B"; matte black vinyl text and border.

Tourist: Blue reflective background, Type "A" or "B"; matte white vinyl text and border.

Service: Blue reflective background, Type "A" or "B"; matte white vinyl text and border.

Work Zone: Orange reflective background, Type "A" or "B"; matte black vinyl text and border.

Guaranteed vinyl adhesion for long-lasting performance.

Note: Optional customization with institutional logo through digital printing.