


HEAVY-DUTY SPEED HUMP 120

TRD-120-L



Features


- Modular speed hump.
- Especially manufactured for heavy-duty.
- It's unbreakable due to its resistance to any frontal or side impact.
- UV light, humidity, oil, and extreme temperatures resistant.
- End cap (male/female: 23.4 in. × 46.8 in. × 2.73 in.)
- Middle section (male/female: 23.4 in. × 46.8 in. × 2.73 in.).
- Resistance to the continuous passage of heavy-duty vehicles.
- Maintenance-free.
- 16 Engineer Grade reflective areas which make it visible by day and by night.
- They connect with each other, so you can cover any area that you want.
- Easy to install. You will just need 6 expansive screws for each middle section and 6 for each end cap.
- They are attached to the asphalt with rebars.
- These speed bumps are anti-slip, reflective soundless, and noiseless.
- It's perfect for speed limits not exceeding 31 mph.
- It has the option of adding a solar stud to improve visibility at night since it charges with the sun. It lights automatically once it gets dark.

SOLAR POWER SYSTEM

- A stud with a smart solar power system.
- Solar panel and high-efficiency electric system.
- Translucent amber LEDs of 4180 to 6000 mcd with an operational angle of 30 degrees.
- Translucent blue LEDs of 2130 to 4800 mcd with an operational angle of 30 degrees.
- Flash frequency of 3 Hz.
- An exclusive system for speed bumps.
- It isn't designed for individual use. The optical design of the acrylic micas only shows its efficiency when they're placed on speed bumps.

Technical specifications

Made of:	Medium-density polyethylene.
End cap weight:	84.92 lb.
Middle section weight:	96.8 lb.
Measures:	Length: 46.8 in. Width: 23.4 in. Height: 3.9 in.
Colors:	Parts made in black and yellow.
Pressure resistance:	26,400 lb. × in ²



Volumes, dimensions, and other measures are nominal and may vary by approximately 2 %.